




**TOOLS**




**Impact Drill**




**#3 Phillips Bit**



**#3 Phillips Screwdriver**




**5mm Hex Key**




**14mm Wrench**

**PARTS & HARDWARE LIST**



**A**  
**Tabletop**  
 (1)



**B**  
**Top Mounting Plate**  
 (2)




**C**  
**Steel Columns with mounting pins**  
 (2)



**H**  
**M8 Phillips Flat Head Bolts**  
 (2)




**I**  
**M6 Phillips Flat Head Bolts**  
 (8)



**J**  
**Wood Screws**  
 (16)


**ZIA FEET STYLE: T or C**



**D**  
**T-Style**  
 (4)



**D**  
**C-Style Long Foot**  
 (2)




**D**  
**C-Style Short Foot**  
 (2)


**GLIDES OR CASTERS**



**E**  
**Glides**  
 (4)



**F**  
**Locking Glides Non-Locking Casters**  
 (2 EACH)





**G**  
**Lock Washer**  
 (4)



**K**  
**Caster Wrench**  
 (1)


**ASSEMBLY STEPS**



*CORRECT PLATE DIRECTION*


**1.** Lay the tabletop **(A)** upside down on a piece of cardboard or a carpeted surface.

**2.** Install (4) M6 flat head bolts **(I)** through mounting plate **(B)** into column **(C)**.




**3.** Install (1) M8 flat head bolt **(H)** through 5x8 mounting plates **(B)** into steel columns **(C)**.

FOR MISSING PARTS OR QUESTIONS, PLEASE CALL CUSTOMER SERVICE AT 888-705-0777.



**4.** Attach 5x8 mounting plates (**B**) onto the bottom of the table top (**A**) using (8) Phillips wood screws (**J**)

**5.** Ensure that all mounting pins are secure on the column. If necessary, use a 14mm wrench to tighten.



**6.** Place (4) aluminum feet (**D**) onto pins (feet should be parallel to the short edge of the table).


**Additional Installation Note for C-Foot Variety Tables:**  
 Install **longer aluminum feet** on the **USER** side and **shorter aluminum feet** on the **NON-USER** side.

**7.** Tighten (4) aluminum (**D**) feet onto pins using the 5mm Hex Key. *(Mounting hardware comes pre-installed in foot.)*



**8.** Attach (4) glides (**E**) to (4) aluminum feet (**D**) or attach (4) casters (**F**) & (4) lock washers (**G**) to (4) aluminum feet using included caster wrench (**K**).

**9.** Ensure both legs are fully attached to the tabletop, and carefully flip over the table.

**GLIDE INSTALLATION**



**CASTER INSTALLATION**



ZIA TRAINING TABLE | FIXED TOP | T-LEG | OPTIONAL CASTERS